



COLOR-Lite Estimate Request Form

Customer Name: _____
 Contact Phone: _____
 Customer Email: _____
 PO # _____

Project Name: _____
 Project Location: _____
 Project Description: _____
 Date: _____

COLOR-Lite Stock Color Code: _____

Other Color: Sherwin Williams Number _____

Substrate:

1/4" Starfire-Ultra Clr.
 3/8" Starfire-Ultra Clr.
 1/2" Starfire-Ultra Clr.
 3/4" Starfire-Ultra Clr.
 Other _____

Edge Work:

A - Open edges
(No paint on edges)
 B - Painted edge
(For butt glaze applications)
 C - Captured edge / none
 D - Multiple edge work per
 panel *(diagram required)*

Panel Type:

Marker board
 Wall panel or Back splash
 Countertop
 Door
 Other: _____

Panel Detail: (NOTE: SIZES BELOW ARE BLOCK SIZES. CUSTOMER TO PROVIDE ACTUAL CUT SIZES. Please provide dimensions in inches and submit image of installation area and any special fabrication)

| Panel Designation: | Panel Quantity: | Panel Width: | Panel Height: | Notes: |
|--------------------|-----------------|--------------|---------------|--------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Installation Type:

- Offset post
- Edge Grip Post
- Floating
- Bonded to substrate or wall
(L angle or J molding required)
- Other _____

Installation By:

- End user
- Color lite dealer
- Tietsort Design Group *(commercial installations only.)*
- General Contractor
- Other _____

Additional Fabrication Required: *(Diagram required)*

- Magnetic backing (only available on 1/4" substrates)
- Holes
- Blank / clear spaces
- text or images in panel
- Notches
- Mixed edge work

Terms / conditions / Product information:

Supporting structure is the responsibility of the customer, blocking is required to support all glass products. Tietsort is not be responsible for inadequate supporting structures.

Production can only begin after Tietsort has received:

- 1 Approved Color Lite proposal
- 2 Deposit
- 3 Purchase Order
- 4 Image of approved Color sample

(Lead times provided are estimated time of production.)

Samples:

- Approved sample images must be submitted back to Tietsort prior to production of project.
- (Image of label side of sample initialed and date required)
- Samples will be provided to customer in batches of 3
- 1st sample batch will be produced at no cost after receipt of Purchase Order from customer. If project is stopped 1st sample batch will occur a \$95 fee.
- Additional samples will cost \$55 per batch.

Batch Variations:

- Color variation will occur from batch to batch and with substrates.

Shipping:

- Typical Crate Fee: \$450 (List Price) up to 1,500lbs
- Customer to contract freight carrier.
- Tietsort will not contract freight carrier.

Typical Terms & Agreements:

- Tietsort LLC. is not responsible for supporting structure.
- Any item not specifically called out as included must be considered as an exclusion from this pricing estimate.
- Tietsort LLC cannot be responsible for the function of access control products or hardware installed by other trades. There will be charges associated with modifications and adjustments made to accommodate hardware installed by other trades.
- Estimates are valid for 60 days.
- Credit card purchases will be charged a 3% fee.
- Sales tax will be charged unless a current Oklahoma resale sales tax certificate is provided.
- All panels with holes or special fabrication and edge work will require shop drawings.
- Custom color sample pricing: (Payment required prior to fabrication or mixing of colors).
\$55 With Sherwin Williams color number.
\$95 for Custom scanned color match.
- Substrate will change paint color. (Approved sample required.)
- Color variation will occur from batch to batch.
- Off set post: Weight capacity will vary depending on surrounding structure. Blocking required.
Sealant and adhesive corning 795 is the only sealant that make contact with painted surface.
- All measurements given as width x height x thickness, all measurements in inches.
- Heat treated glass, unless otherwise noted, will adhere to full ASTM C 1048-97b standards.
- Some oversized tempered will contain an increased number of waves and distortion that is common for this type of glass.
- The quoted price is based solely upon the particular drawings, specifications, make-ups, or other documents which are specifically identified in the quotation. Items omitted are excluded. Please review all make-ups and notify Tietsort LLC. of any discrepancies.
- Review of all system design or application including compatibility with other glazing materials and thermal stress considerations, is the responsibility of the buyer.
- Buyer shall inspect all goods upon receipt and promptly notify Tietsort LLC of any claim that good are non-conforming. Tietsort LLC. shall be allowed reasonable opportunity to inspect and cure any claim.
- All products must be installed in accordance with proper glazing techniques as outlined in The Glass Association of North America (GANA) Glazing Manual and Sealant manual, most current edition.
- Roll wave direction of each piece will be determined by furnace size. Bow and warp limits applicable to smaller glass may not adequately define, or control, the distortion that may become apparent after glazing.
- Oversized heat-treated glass will not comply with ASTM Standards C 1036 and C 1048.
- Tietsort LLC products will be fabricated and installed per the standards set forth by the National Glass Association. (for details on specifications reference National Glass Association.)

WARRANTY:

Tietsort warrants that for a period of five (5) years from the date of purchase, that the product will be free from defects in material and workmanship. This limited warranty extends only to the original purchaser or the first retail purchaser of the product. If during the period the product is defective in materials or workmanship, Tietsort will, in its sole discretion, either repair or replace the defective portion of the product. This limited warranty does not cover damage resulting from improper use, storage, shipping, handling, installation, or modification, from the product recommendations listed above.

LIMITATION OF LIABILITY:

Tietsort’s maximum cumulative liability to the buyer shall not exceed the monetary amount of the purchase price of the goods claimed to be defective. Buyer is not entitled to consequential or special damages.

STANDARD COLORS:

Tietsort offers the following standard colors samples at no cost to the client. Custom colors can be created and require client approval / payment before sample can be produced.

Custom color sample pricing: *(Payment required prior to fabrication or mixing of colors).*

- \$55 With Sherwin Williams color number.
- \$95 for Custom scanned color match.

COLOR-Lite Standard Colors




ASTON BLACK
SW 6991



ARROW GREY
SW 7068



ROSSO RED
SW 6594



IMPERIAL WHITE
SW 7004



LAGUNA BLUE
SW 6804



LOTUS YELLOW
SW 6911



TIETSORT GREEN
SW 6921




GULF ORANGE
SW 6885


EDGE WORK:

Tietsort provides the following examples of edge work and surface references:

Edge Work



- EXPOSED EDGE WORK
- PAINT SURFACE #2 ONLY



- PAINT SURFACE #2
- PAINT EDGE WORK OF GLASS
- TYPICAL @ BUTT GLAZING APPLICATION

HARDWARE / ACCESSORIES:

**POST HARDWARE
BY TIETSORT**

CRL - TS1 STAND OFF

The diagram shows an exploded view of the CRL - TS1 Stand Off hardware. The components are listed from top to bottom:

- Cap Assembly
- Washer
- Vinyl Sleeve
- Washer
- Standoff Base
- Threaded Insert

Edge Grip Post

The diagram shows the Edge Grip Post hardware. It includes a 3D perspective view of the post and a cross-sectional view with dimensions:

- Top cap height: 1/4" (6 mm)
- Post height above cap: 9/32" (7 mm)
- Total post height: 17/32" (13 mm)
- Post diameter: 5/16" (8 mm)
- Post length: 1-1/4" (32 mm)
- Post diameter at base: 1-1/16" (27 mm)

There is also a photograph showing two glass panels held together by the Edge Grip Post hardware.

HARDWARE / ACCESSORIES: (CONT.)

